

chain nodes :

15 16 17 18

ring nodes :

1 2 3 4 5 6 9 10 11 12 13 14

ring/chain nodes :

7 8

chain bonds :

12-15 12-17 15-16 17-18

ring/chain bonds :

1-7 7-8

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-14 10-11 11-12 12-13 13-14

exact/norm bonds :

1-7 9-10 9-14 10-11 11-12 12-13 13-14 15-16

exact bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-8 12-15 12-17 17-18

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS

fragments assigned product role:

containing 9

fragments assigned reactant/reagent role:

containing 1

0 SEA SSS SAM L1 ( 0 REACTIONS)

=> s l1 sss full

FULL SEARCH INITIATED 16:06:34 FILE 'CASREACT'

SCREENING COMPLETE - 856 REACTIONS TO VERIFY FROM

67 DOCUMENTS

100.0% DONE 856 VERIFIED 20 HIT RXNS

5 DOCS


SEARCH TIME: 00.00.01

L3 5 SEA SSS FUL L1 ( 20 REACTIONS)

=> d 1-5

L3 ANSWER 1 OF 5 CASREACT COPYRIGHT 2006 ACS on STN

RX(24) OF 30 - 4 STEPS




REF: Faming Zhuanli Shenqing Gongkai Shuomingshu, 1541995, 03 Nov 2004

CON: STEP(1.1) 12 hours, 50 deg C, 1 atm  
STEP(2.1) 0 deg C; 0.5 hours, 0 deg C; 8 hours,  
0 deg C -> room temperature  
STEP(2.2) 12 hours, room temperature  
STEP(2.3) 8 hours, room temperature  
STEP(3.1) 3 hours, reflux; 2 hours, reflux  
STEP(4) 12 hours, reflux

L3 ANSWER 2 OF 5 CASREACT COPYRIGHT 2006 ACS on STN

RX(1) OF 37




REF: U.S. Pat. Appl. Publ., 2005148792, 07 Jul 2005

NOTE: green chemistry, palladium supported on carbon is used as catalyst

CON: STAGE(1) room temperature; 4 hours, room temperature, 50 psi

L3 ANSWER 3 OF 5 CASREACT COPYRIGHT 2006 ACS on STN

RX(26) OF 26 - 6 STEPS



HCl

80%

REF: Bioorganic & Medicinal Chemistry, 13(8), 2791-2798; 2005

NOTE: 3) key intermediate (in synthesis of GABA adamantane derivative),  
4) alternate preparation also described, 5) alternate preparation also described

CON: STEP(1) 6 hours, reflux

STEP(2.1) 25 hours, reflux

STEP(3.1) <room temperature; 20 days, room temperature

STEP(4.1) 24 hours, 20 deg C


STEP(5.1) 48 hours, room temperature

STEP(5.2) <room temperature, acidify

STEP(6) 5 hours, 25 deg C, 50 psi

L3 ANSWER 4 OF 5 CASREACT COPYRIGHT 2006 ACS on STN

RX(69) OF 73 - 4 STEPS



84%

REF: Tetrahedron, 61(6), 1579-1586; 2005

NOTE: 3) optimization study, regioselective, optimized on catalyst and catalyst concentration

CON: STEP(1.1) 1 hour, room temperature

STEP(1.2) 12 hours, 50 deg C, 1 atm

STEP(2.1) 0.5 hours, 0 deg C; 0 deg C -> room temperature;  
overnight, room temperature

STEP(2.2) 8 hours, room temperature


STEP(2.3) 8 hours, room temperature

STEP(3.1) 2 hours, reflux; 30 minutes, reflux

STEP(4) 18 hours, 90 - 120 deg C

L3 ANSWER 5 OF 5 CASREACT COPYRIGHT 2006 ACS on STN

RX(5) OF 6 - 2 STEPS



REF: PCT Int. Appl., 2002074727, 26 Sep 2002

=>